

# Projective Geometry

Fall 2020 - R. L. Herman



# Perspective Drawing


- Art - Perspective Drawing
- Before Renaissance- no illusion of depth and space.
- 13th century Italian masters used shadowing.
- Mathematics of perspective

Lengths not preserved.

Angles not preserved.





**Figure 1:** c.1308-1311




# Filippo Brunelleschi (1377-1446)

- Architect
- First to describe linear perspective.
- Experimented (1415-1420) using a panel with a grid of squares and a plaque with a hole at eye level.
- Drawings of the Baptistry in Florence, Place San Giovanni and other Florence landmarks.
- Later his method was studied by Alberti and Da Vinci.




# Leon Battista Alberti (1404-1472)

- Alberti's Veil  
Transparent cloth on a frame,  
Good for actual scenes not  
imaginary ones.
- Basic principles:
  1. A straight line in perspective  
remains straight.
  2. Parallel lines either remain  
parallel or converge to a point.
- Drawing a square-tiled floor, solved  
by Alberti (1436).




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.
- Extend diagonal.




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.
- Extend diagonal.
- Intersections determine the horizontals.




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.
- Extend diagonal.
- Intersections determine the horizontals.




# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.
- Extend diagonal.
- Intersections determine the horizontals.



# Alberti's Method

- Align nonhorizontal lines equally along base, converging to one point on the horizon.
- Choose one tile.
- Extend diagonal.
- Intersections determine the horizontals.



# Desargues' Projective Geometry<sup>1</sup>

- Mathematics behind Alberti's Veil: Family of lines (light rays) through a point (eye) plus a plane (veil).
- Recall **Pappus' Theorem**:  $A_1, A_2, A_3$ , collinear;  $B_1, B_2, B_3$ , collinear; then, so are  $C_1, C_2, C_3$ .
- Blaise Pascal (1623-1662) at 16 generalized to conics.
- Desargues (1640) **Projective Geometry** only relies on a straight edge.





Figure 2: Pappus' and Pascal's Theorems.

<sup>1</sup>Two centuries ahead of his time.

# Girard Desargues (1591-1661)


- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).  
*Two triangles are a) in perspective axially if and only if they are b) in perspective centrally.*
- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$   
**center of perspectivity  $P$ .**



# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).  
*Two triangles are a) in perspective axially if and only if they are b) in perspective centrally.*
- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$   
**center of perspectivity  $P$ .**




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).


*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$   
**center of perspectivity P.**
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.



# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).  
*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*
- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$   
**center of perspectivity**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602–1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$  **center of perspectivity**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602–1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$  **center of perspectivity**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$  **center of perspectivity**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.
- Points are collinear.




# Girard Desargues (1591-1661)

- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602-1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$  **center of perspective**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.
- Points are collinear.
- What if two sides are parallel?




# Girard Desargues (1591-1661)


- Architect in Paris, Lyon and engineer.
- Desargues' Theorem in appendix of book on perspective, by friend Abraham Bosse (1602–1676).

*Two triangles are a) in **perspective axially** if and only if they are b) in **perspective centrally**.*

- b) Extend  $Aa$ ,  $Bb$ ,  $Cc$  **center of perspectivity**  $P$ .
- a) Extend pairs,  $AC-ac$ ,  $AB-ab$ , etc.
- Points are collinear.
- What if two sides are parallel?
- Need **Projective plane**.



# Invariance of the Cross Ratio





$$\frac{\overline{AC}}{\overline{BC}} : \frac{\overline{AD}}{\overline{BD}} = \frac{\overline{A'C'}}{\overline{B'C'}} : \frac{\overline{A'D'}}{\overline{B'D'}}.$$

# Projective Geometry Rebirth in 1800's.


## Perspective

1. Parallel lines meet at a pt.
2. Lines map to lines.
3. Conics map to conics.

Example: Train tracks.




# One Point Perspective



# Two Point Perspective




# Two Point Perspective



# Two Point Perspective Vanishing Points




# Two Point Perspective Vanishing Points




# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?




# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?




# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?




# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?





# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?
- Desargues - **line at infinity**.




# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?
- Desargues - **line at infinity**.
- Look at a plane





# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?
- Desargues - **line at infinity**.
- Look at a plane
- Add parallel lines.  
Where do they go?



# Points at Infinity

- Artists' use vanishing points.
- Pappus' Theorem -  
Consider parallel lines  $A_1B_2$ ,  $A_2B_1$ .  
Does the theorem hold?
- Desargues - **line at infinity**.
- Look at a plane
- Add parallel lines.  
Where do they go?
- Line at Infinity
- Plane + line at infinity =  
**Projective Plane**



Line at infinity

# Projective Line

- Consider the real line,  $\mathbb{R}$ .




# Projective Line

- Consider the real line,  $\mathbb{R}$ .
- Add point at infinity, projective line.





# Projective Line

- Consider the real line,  $\mathbb{R}$ .
- Add point at infinity, projective line.
- Topologically a circle!





# Projective Line

- Consider the real line,  $\mathbb{R}$ .
- Add point at infinity, projective line.
- Topologically a circle!
- We can map the circle to  $\mathbb{R}$ .



# Projective Line



- Consider the real line,  $\mathbb{R}$ .
- Add point at infinity, projective line.
- Topologically a circle!
- We can map the circle to  $\mathbb{R}$ .



Intersection:  $y = b, y = mx :$   
 $x = \frac{b}{m}.$

# Projective Line

- Consider the real line,  $\mathbb{R}$ .
- Add point at infinity, projective line.
- Topologically a circle!
- We can map the circle to  $\mathbb{R}$ .




Intersection:  $y = b, y = mx :$   
 $x = \frac{b}{m}.$

# Homogeneous Coordinates

- Point on line:  $(x, y, z)$
- All points on line map to  $(X, Y)$  in the plane.
- $(X, Y)$  are called homogeneous coordinates.
- Points on line are multiples,  $(x', y', z') = \lambda(x, y, z)$ .
- Point on plane:  $(\frac{x}{z}, \frac{y}{z}, 1)$ , or

$$X = \frac{x}{z}, \quad Y = \frac{y}{z}.$$




# Curves

- Curve in plane,  $Y = X^2$ .
- Translates to

$$\frac{y}{x} = \left(\frac{z}{x}\right)^2.$$

- This is a surface in  $(x, y, z)$ -space,

$$x^2 = yz.$$



**Figure 3:** Surface  $x^2 = yz$ .

# Curves


- Curve in plane,  $Y = X^2$ .
- Translates to

$$\frac{y}{x} = \left(\frac{z}{x}\right)^2.$$

- This is a surface in  $(x, y, z)$ -space,

$$x^2 = yz.$$

- Slicing with a plane, like Alberti's veil, one gets a project of the curve.



**Figure 3:** Surface  $x^2 = yz$ .

# Curves


- Curve in plane,  $Y = X^2$ .
- Translates to

$$\frac{y}{x} = \left(\frac{z}{x}\right)^2.$$

- This is a surface in  $(x, y, z)$ -space,

$$x^2 = yz.$$


- Slicing with a plane, like Alberti's veil, one gets a project of the curve.



**Figure 3:** Surface  $x^2 - yz$ .


# Projective Sphere

- Map points on a plane to points on surface of unit sphere,  $\mathbb{S}^2$ .
- Lines through South Pole uniquely intersect the plane and sphere.
- All points mapped except  $(0,0,0)$ . This point can be mapped to the line at infinity.
- 




**Figure 4:** Stereographic Projection

# Looking into the Veil



**Figure 5:** Problems 8.4.2-8.4.4

# Looking into the Veil



**Figure 5:** Problems 8.4.2-8.4.4

# Perspective Drawing

Looking at conics from a different perspective: The parabola  $z = -x^2$  looks like an ellipse.

